

Original Research

Assessment of contamination risk of heavy metals in sediments of coastal Caspian Sea in Nowshahr city, North of Iran

Authors:

**Sahar Sartipi Yarahmadi¹
and Mohammad Reza Ansari²**

Institution:

1. M.Sc. student in
Environmental Pollution,
Islamic Azad University,
Tonekabon Branch,
Tonekabon, Iran.

2. Faculty Member, Islamic
Azad University, Chalus
Branch, Chalus, Iran.

Corresponding author:

Mohammad Reza Ansari

ABSTRACT:

Since the sediments of Caspian sea are included a sizeable amount of the heavy metals ,this sediments were chemically analyzed for determining the concentration of heavy metals and severity of the contamination .In fact , the aim of this research was evaluate ecological risk of heavy metals As, Pb, Cr, Zn and Cu in southern Caspian sea sediments in the coastal zone of Noshahr city. According to the average concentration of heavy metals, Cr with average concentration of 77 ppm was the highest concentration and the lowest concentration was As with average of 8 ppm which can be shown the variation of the average concentration as follows: Cr>Zn>Cu>Pb>As. On the other hand , the average of all metals is above the limit of the background of area ,except both elements Cr and As with averages 77ppm and 8 ppm which are between the range of TEL and PEL respectively. The rest of the metals are in the range of less than TEL means the level of threshold of effect. It means that only the biological impacts of Cr and As may be observed in the case study. In this research ,the index of potential ecological risk of each heavy metal (Ei) and the ecological risk index (RI) has also been assessed. In terms of the environmental risk potential (Ei) the main element in the environment that has an environmental risk is As and in terms of the risk index, most of the sampling stations are in a law risk range. Because of the lack of human pollutant resources and did not originate from human activities in this case study, the main factor in concentration of heavy metals in the sediments was natural resources and geology of the area. In this research from correlation coefficients, principal component analysis, and cluster analysis were used to determine the origins of and the relationships between the heavy metals found in the sediments of the case study. Two heavy metals Zn and Cr with 80% correlation which is considered as a strong correlation, were introduced as the main metals in sediments, and the Other metals follow the behavior of these two metals. Finally, the IDW interpolation method was employed to extract the spatial distribution map for each heavy metal.

Keywords:

Caspian Sea, sediment quality guidelines, ecological risk index, IDW method

Email

rezaansari2@gmail.com

Article Citation:

Sahar Sartipi Yarahmadi and Mohammad Reza Ansari

Assessment of contamination risk of heavy metals in sediments of Coastal Caspian Sea in Nowshahr city, North of Iran

Journal of Research in Ecology (2017) 5(2): 926-937

Dates:

Received: 21 June 2017 **Accepted:** 30 June 2017 **Published:** 17 Aug 2017

Web Address:

[http://ecologyresearch.info/
documents/EC0432.pdf](http://ecologyresearch.info/documents/EC0432.pdf)

This article is governed by the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which gives permission for unrestricted use, non-commercial, distribution and reproduction in all medium, provided the original work is properly cited.

REFERENCE

- Habes Ghrefat and NigemYusuf. (2006).** Assessing Mn, Fe, Cu, Zn, and Cd pollution in bottom sediments of Wadi Al-Arab Dam, Jordan. *Journal of Chemosphere*, 65(11): 2114-2121.
- Khaled A, ElNemr A and ElSikaily A. (2006).** An assessment of heavy-metal contamination in surface sediments of the Suez Gulf using geoaccumulation indexes and statistical analysis. *Journal of Chemistry and Ecology*, 22(3): 239-252.
- Memet Varol.(2011).** Assessment of heavy metal contamination in sediments of the TigrisRiver (Turkey) using pollution indices and multivariate statistical techniques. *Journal of Hazardous Materials* 195: 355–364.
- John AC, Andrews SM and Johnson MS. (1990).** Lead, zinc, cadmium and fluoride in small mammals from contaminated grassland established on fluorspar tailings. *Journal of Water, Air, and Soil Pollution*, 51(1-2): 43–54.
- Mackay D. (2001).** Multimedia environmental models: the fugacity approach, 2nd ed. CRC Press, USA :39–44p.
- Zeng G, Liang J, Guo S, Shi L, Xiang L, Li X and Du CY. (2009).** Spatial analysis of human health risk associated with ingesting manganese in Huangxing Town, Middle China. *Journal of Chemosphere*, 77(3): 368–375.
- Rajib Chakraborty, Sufia Zaman, Nibedita Mukhopadhyay and Abhijit Mitra. (2009).** Seasonal variation of Zn, Cu and Pb in the Estuarine Stretch of West Bengal. *Indian Journal of Marine Science*, 38(1):104-109.
- Singh KP, Mohan D, Singh VK and Makik Amrita. (2005).** Studies on distribution and fractionation of heavy metals in Gomti river sediments—a tributary of the Ganges. *Journal of Hydrology*, 312(1-4): 14-27.
- Yu Ruilian, Yuan Xing, Zhao Yuanhui, Hu Gongren and Tu Xianglin. (2008).** Heavy metal pollution in intertidal sediments from Quanzhou Bay, China. *Journal of Environmental Sciences*, 20(6): 664–669.
- Hakan Pekey, Duran Karakaş and Mithat Bakoglu. (2004).** Source apportionment of trace metals in surface waters of a polluted stream using multivariate statistical analyses. *Journal of Marine Pollution Bulletin*, 49(9-10): 809–818.
- Jerome O Nriagu, Jozef M Pacyna.(1988).** Quantitative assessment of worldwide contamination of air, water and soils by tracemetals. *Nature*, 333: 134–139 doi:10.1038/333134a.
- Aradhi K. Krishna, M Satyanarayanan and Pradip K. Govil. (2009).** Assessment of heavy metal pollution in water using multivariate statistical techniques in an industrial area: a case study from Patancheru, Medak District, Andhra Pradesh, India. *Journal of Hazardous Materials*, 167(1-3): 366–373.
- Josef M Casas, Mercedes H Rosas, Montserrat Solé and Conxita Lao. (2003).** Heavy metals and metalloids in sediments from the Llobregat basin, Spain. *Journal of Environmental Geology*. 44(3): 325-332.
- Josef O Lalah, Ochieng EZ and Shem O Wandiga. (2008).** Sources of heavy metal input into Winam Gulf, Kenya. *Journal of Bulletin of Environmental Contamination and Toxicology*, 81(3): 277–2.
- Sandra Caeiro, Maria, Helena Costa, Angel DelValls, Tiago Repolho, Margarida Gonçalves, Alice Mosca, Ana Paula Coimbra, Tomás B. Ramos , Marco Painho. (2009).** Ecological risk assessment of sediment management areas: application to Sado Estuary, Portugal. *Journal of Ecotoxicology*. 18(8): 1165-1175.
- Gadd Suresh, Sutharsan P, Vijayraj Ramasamy and Rajesh Venkatachalapathy. (2012).** Assessment of

spatial distribution and potential ecological risk of the heavy metals in relation to granulometric contents of Veeranam lake sediments, India. *Journal of Ecotoxicology and Environmental Safety*, 84:117–124.

Junhong Bai, Baoshan Cui, Bin Chen, Kejiang Zhang, Wei Deng, Haifeng Gao and Rong Xiao. (2011). Spatial distribution and ecological risk assessment of heavy metals in surface sediments from a typical plateau lake wetland, China. *Journal of Ecological Modelling*, 222(2):301–306.

Zsolt A Berner .(1999). Distribution of selected trace metals and rare earth elements in surficial sediments from the polish sector of the Vistula Lagoon. *Journal of Chemosphere*, 39(15): 2785- 2798.

Sandra Caeiro, Maria Helena Costa, Tomas Barros Ramos, Fernandes F, Silveira N, Ana Paula Coimbra, Medeiros G and Painho M. (2005). Assessing heavy metal contamination in sado estuary sediment: an index analysis approach. *Journal of Ecological Indicators*, 5(2):151– 169

Monika Nendza. (2002). Inventory of marine biotest methods for evaluation of dredged material and sediments. *Journal of Chemosphere*, 48(8): 865-883.

Environment protection department (EPD). (2010). Marine water quality in Hong-Kong. Hong Kong government printer. Available from:
www.epd.gov.hk/epd/wqo_review/en/pdf/Technical%20Note_Website.pdf.

Canadian Council of Ministers of the Environment (CCME). (1999). Protocol for the derivation of canadian sediment quality guidelines for the protection of aquatic life. Available from:
ceqg-rcqe.ccme.ca/download/en/226/

Sherri L Smith, Donald D MacDonald, Karen A Keenleyside, Christopher G Ingersoll and Jay Field

L. (1996). A preliminary evaluation of sediment quality assessment values for freshwater ecosystems. *Journal of Great Lakes Research*, 22(3): 624–638.

Salmanzadeh M, Saeedi M and Nabi GH bidhendi. (2012). Heavy metals and polycycli caromatically drocarbons: pollution and ecological risk assessment in street dust of Tehran. *Journal of Hazardous Materials*, 227-228:9–17.

Weihua Guo, Xianbin Liu, Zhanguang Liu and Guofeng Li.(2010). Pollution and potential ecological risk evaluation of heavy metals in the sediments around Dongjiang Harbor, Tianjing. *Journal of Procedia Environmental Science*, 729–736

Lars Hakanson. (1980). An ecological risk index for aquatic pollution control. a sedimento logical approach. *Journal of Water Research*, 14(8): 975 - 1001.

Xiudian Chen, Xinwei Lu and Guang Yang.(2012). Sources identification of heavy metals in urban topsoil from inside the xi'an second ringroad, NW China using multivariate statistical methods. *Journal of Catena*, 73–78.

Edward R Long, Donald D Macdonald, Sherri L Smith and Fred D Calder. (1995). Incidence of adverse biological effect within ranges of chemical concentrations in marine and estuarine sediments. *Journal of Environmental Management*, 19(1):81-97.

Submit your articles online at ecologyresearch.info

Advantages

- **Easy online submission**
- **Complete Peer review**
- **Affordable Charges**
- **Quick processing**
- **Extensive indexing**
- **You retain your copyright**

submit@ecologyresearch.info

www.ecologyresearch.info/Submit.php